the invasive intervention includes at least one of surgery and angioplasty.

- 69. The system according to claim 67, wherein:

 the noninvasive intervention includes at least one
 of pharmacological therapy and education.
- The system according to claim 55, wherein: 70. the positive risk factors include being a male, being one of a postmenopausal female and a postmenopausal female with ovaries removed, being a male over 40 years of age, being a female over 45 years of age, having a BMI that indicates the user is overweight or obese, being a smoker, having diabetes mellitus, having elevated lipid levels, having known CAD, having known peripheral vascular disease, not exercising, having hypertension, having feelings of stress and anxiety, having left ventricular hypertophy, not taking anti-oxidant vitamins, having high homocysteine levels, not getting the RDA of folate, vitamin B6 or vitamin B12, having a high lipoprotein level, having a low alcohol intake, having a positive family history of coronary disease, and not taking one aspirin per day.
- 71. The system according to claim 55, wherein:

 the risk factor modification information includes
 information about how to change the positive risk factors
 to negative risk factors.
- 72. The system according to claim 55, wherein:

 the step of tracking includes receiving advice when
 there has been one of a change and no change in a risk
 factor.
- 73. A method for providing information concerning a patient to a doctor, comprising the steps of:

 interactively providing via a processor questions to

a patient;

receiving via the processor responses to the questions;

storing information concerning the patient based on at least one of the responses;

receiving via the processor a request for the information concerning the patient by a doctor; and providing the stored information to the doctor.

- 74. The method according to claim 73, wherein:

 the processor operates in at least one of a LAN
 environment, WAN environment, the WWW and the Internet.
- 75. The method according to claim 73, wherein:

 the questions include questions about at least one of physical characteristics, lifestyle and medical history.
- 76. The method according to claim 75, wherein:

 the physical characteristics include age, gender,
 race, height and weight.
- 77. The method according to claim 75, wherein:

 the lifestyle questions include questions about at least one of smoking habits, drinking habits, vitamin intake, and stress.
- 78. The method according to claim 75, wherein:

 the medical history questions include questions about at least one of blood pressure, diabetes, menopause, ovary removal, hormone replacement, CAD, heart attack, coronary artery bypass surgery, angioplasty, peripheral vascular disease, left ventricular hypertophy, family history, lipid profile, stress tests, and angiograms.
- 79. The method according to claim 73, further comprising the

steps of:

determining risk factors for a disease using at least one of at least one of the responses and practice quidelines for the disease; and

tracking changes in the responses and the risk factors over time.

80. The method according to claim 79, wherein:

the practice guidelines include practice quidelines published by at least one of the American College of Cardiology and American Heart Association, U.S. Department of Health and Human Services Agency for Healthcare Policy and Research, and the National Heart Lung and Blood Institute.

- 81. The method according to claim 79, wherein: the disease is CAD.
- 82. The method according to claim 73, further comprising the step of:

providing substantially contemporaneous feedback to the responses via the processor.

83. The method according to claim 82, wherein:

the contemporaneous feedback includes at least one of general information about at least one risk factor and whether the at least one risk factor is positive for the patient.

- 84. The method according to claim 73, wherein: the information is stored in at least one database.
- 85. The method according to claim 73, further comprising the step of:

using at least one of the responses and practice guidelines, determining one of a patient's risk of developing a disease and the associated risks of having